


CATWALK



1 FRAMING PLAN - CATWALK LEVEL
SCALE: 1/2" = 1'-0"

NOTES

1. ——— INDICATES GRATING SPAN. GRATING TO BE GALVANIZED 1"x3/16" GRATING BARS @ 1-3/16" O.C. SPACING.
2. ALL VISIBLE SURFACE RUST SHALL BE REMOVED WITH A WIRE BRUSH AND STRUCTURE SHALL BE CLEANED, PRIMED, AND REPAINTED AS NECESSARY PER SPECIFICATIONS.
3. ——— INDICATES FRAMING WHICH IS VISIBLE ABOVE THE FLOOR.
4. ——— INDICATES FRAMING WHICH IS NOT VISIBLE ABOVE THE FLOOR.

| | | | | | |
|--|--|---|--|----------------------------|--|
| SCALES SHOWN FOR 22" X 34" SHEET. ADJUST SCALES FOR OTHER SIZES. | | PAGE | | OF 63 | |
| | | | | | |
| | | | | | |
| 7000 CENTRAL PARKWAY, SUITE 1475 ATLANTA, GEORGIA 30328 HEI JOB NUMBER: 09033.00 | | | | | |
| ATHENS (ATHENS MUNICIPAL AIRPORT) | | GA | | | |
| REVIEWED BY | | SUBMITTED BY | | APPROVED BY | |
| | | VIRGIL HOOPER, PE. | | MARK BEEKMAN | |
| DESIGNED SNG | | ISSUED BY | | DATE 03/31/2010 JCN 804669 | |
| DRAWN SNG | | ATLANTA TERMINAL ENGINEERING CENTER | | DRAWING NO | |
| CHECKED RAB | | | | AHN-D-ATCT-S104 | |

